



(Portable) Fire Extinguisher Inspection

SWP-006A

1.0 Purpose

1.1 To provide workers with guidelines for the inspection of portable fire extinguishers.

2.0 Guidelines

- 2.1 Inspect and maintain extinguishers in accordance with Yukon OHS regulations and National Fire Protection Association (NFPA) standards.
- 2.2 INSPECT the following:

See Appendix A – Fire Extinguisher Inspection

- 2.2.1 Extinguisher in designated place.
- 2.2.2 Extinguisher is visible; or, there is a means of indicating extinguisher location.
- 2.2.3 There is clear access to extinguisher.
- 2.2.4 Extinguisher is in good condition/not damaged cylinder for cracks and rust; hose/nozzle; handle; brackets; wheels and carriage for wheeled units.
- 2.2.5 Operating instructions on extinguisher are legible.
- 2.2.6 Inspection tag is attached; last annual inspection is within 1 year.
- 2.2.7 Pin and seal are intact.
- 2.2.8 Pressure gauge (where applicable) is in the operable range.
- 2.3 When inspection complete, initial the tag in the appropriate month; and, record inspection in spreadsheet.
- 2.4 Report all deficiencies to Manager Property and Projects; or, Health and Safety.
- 2.5 Do not remove an extinguisher from its location without immediately replacing it.

3.0 Reference documents

- SWP-006; Use of (Portable) Fire Extinguishers.
- Yukon OH&S Regulations; Part 1 General; 1.70.
- National Fire Protection Association; NFPA 10 Standard for Portable Fire Extinguishers.

Appendix A – Fire Extinguisher Inspection Extinguisher in designated place. SAME Extinguisher is visible; or, there is a means **FIRE** of indicating extinguisher location. **EXTINGUISHER** There is clear access to extinguisher.

Fire Extinguisher Inspection

Extinguisher is in good condition/not damaged - cylinder for cracks and rust; hose/nozzle; handle; brackets; wheels and carriage for wheeled units.	
Operating instructions on extinguisher are legible.	INSTRUCTIONS
Inspection tag is attached; last annual inspection is within 1 year.	Customer: Admin Bldg. Type: 10 Ais C Location: A Month/ Day / Year Service Inspector Annual Maint. P Pressurized A Annual Maint. P Pressurized A Annual Maint. P Pressurized A Annual Maint. P Pressurized A Annual Maint. P Pressurized A Annual Maint. P Pressurized A Annual Maint. P Pressurized A Annual Maint. A Annual Maint. A Pressurized A Annual Maint. A Annual Maint. A Pressurized A Annual Maint. A Annual Main

Fire Extinguisher Inspection

Pin and seal are intact.	
Pressure gauge (where applicable) is in the operable range.	1345 1345